JOURNAL OF THE AMERICAN PODIATRIC MEDICAL ASSOCIATION

January–December 2003
Volume 93

SUBJECT INDEX

A

Aging
Fall-contributing adverse effects of the most frequently prescribed drugs [Smith], 1:42
The influence of geriatrics education on knowledge, attitudes, and career aspirations of podiatric medical students [Menz], 2:124
Knowledge of aging and attitudes toward older people: a survey of Australian podiatric medical students [Menz et al], 1:11
Reliability of clinical tests of foot and ankle characteristics in older people [Menz et al], 5:380

American Academy of Podiatric Sports Medicine
Glancing back, striding ahead: the history of the American Academy of Podiatric Sports Medicine: part 1 [Bouché], 4:315

Amputation
The fitting of amputated and nonamputated diabetic feet: a French experience at the Villiers-Saint-Denis Hospital [Dupre et al], 3:221

Anatomy
Radiographic anatomy of the talus [Morgan et al], 6:449
Relationship between onychocryptosis and foot type and treatment with toe spacer: a preliminary investigation [Günal et al], 1:33
Tarsal coalitions: activity levels with and without surgery [Saxena and Erickson], 4:259

Anchoring device
Additional uses of the DePuy TiMAX Spider Plate (letter) [Burks et al], 5:406

Anesthesia
Revisiting epinephrine in foot surgery [Radovic et al], 2:157
Use of a needleless injection system for digital ring block anesthesia [Dialynas et al], 1:23

Ankle
Ankle dorsiflexion in adolescent athletes [Saxena and Kim], 4:312
Medial malleolar stress fractures: literature review, diagnosis, and treatment [Kor et al], 4:292
Osteochondral lesions of the talus [Roach], 4:307
Radiographic anatomy of the talus [Morgan et al], 6:449
Relationship between the subtalar joint inclination angle and the location of lower-extremity injuries [Pierrynowski et al], 6:481
Tarsal coalitions: activity levels with and without surgery [Saxena and Erickson], 4:259

APMA Announcements and Reports
American Podiatric Medical Association best walking city competition, 2002 [Fisher et al], 2:161
Council on Podiatric Medical Education, eighty-third annual report, 2002, 3:242
83rd Regular Sessions, House of Delegates, 5:411
2002 Podiatric Practice Survey: statistical results [Al Fisher Associates, Inc], 1:67

Arthrodesis
Autogenous bone graft interpositional arthrodesis for the correction of flail toe: a retrospective analysis of 22 procedures [Mahan et al], 3:167

Arthroplasty
Autogenous bone graft interpositional arthrodesis for the correction of flail toe: a retrospective analysis of 22 procedures [Mahan et al], 3:167
Distally based capsule-periosteum interpositional arthroplasty for hallux rigidus: indications, operative technique, and short-term follow-up [Roukis et al], 5:349

Asian Americans
Comorbidities associated with diabetic foot complications among Asian Americans in southern California [Han et al], 1:37

Athletics
Ankle dorsiflexion in adolescent athletes [Saxena and Kim], 4:312
Athletic injuries of the first metatarsophalangeal joint [Kubitz], 4:325
Differential diagnosis of leg pain in the athlete [Fredericson and Wun], 4:321
Glancing back, striding ahead: the history of the American Academy of Podiatric Sports Medicine: part 1 [Bouché], 4:315
Hyberbaric oxygen therapy for lower-extremity soft-tissue sports injuries [Kanhai and Losito], 4:298
Osteoid osteoma in a 20-year-old soccer player [Palamarchuk et al], 4:344
Syndesmotic rupture without ankle fracture: a report of two cases in professional football players [Endean et al], 4:336
Tibial and proximal fibular stress fracture in a rower [Losito et al], 4:340

B

Bioengineered tissue
Human skin equivalent in the treatment of chronic leg ulcers in sickle cell disease patients [Gordon and Bui], 3:240

Biomechanics
An approach to foot orthopedics [Root], 1:63
Clinical and biomechanical risk factors of patients diagnosed with hallux valgus [Kernozek et al], 2:97
Effect of the low-Dye strap on pronation-sensitive mechanical attributes of the foot [Whitaker et al], 2:118
High plantar pressure and callus in diabetic adolescents: incidence and treatment [Duffin et al], 3:214
In vivo forces in the plantar fascia during the stance phase of gait: sequential release of the plantar fascia [Ward et al], 6:429

Kinetics of high-heeled gait [Esenyel et al], 1:27
Position of the subtalar joint axis and resistance of the rearfoot to supination [Payne et al], 2:131
Relationship between "growing pains" and foot posture in children: single-case experimental designs in clinical practice [Evans], 2:111
Relationship between the subtalar joint inclination angle and the location of lower-extremity injuries [Pierrynowski et al], 6:481
Reliability and validity of center-of-pressure quantification [Cornwall and McPoil], 2:142
Reliability of the Foot Posture Index and traditional measures of foot position [Evans et al], 3:203
The reliability of the manual supination resistance test [Noakes and Payne], 3:185
Static stance response to different types of foot orthoses [Payne et al], 6:492
Variability of neutral-position casting of the foot [Chuter et al], 1:1

Bone
Autogenous bone graft interpositional arthrodesis for the correction of flail toe: a retrospective analysis of 22 procedures [Mahan et al], 3:167
Bone scintigraphic findings in patients with foot ulcers and normal plain film radiographs [Jacobson and Williams], 2:91
External thermoregulation of wounds associated with lower-extremity osteomyelitis: a pilot study [Karr], 1:18
Fracture of the second metatarsal base: an overlooked cause of chronic midfoot pain [Morris et al], 1:6
Osteochondral lesions of the talus [Roach], 4:307
Osteoid osteoma in a 20-year-old soccer player [Palamarchuk et al], 4:344
Subchondral thickness does not vary with cartilage degeneration on the metatarsal [Raudenbush et al], 2:104
Tarsal coalitions: activity levels with and without surgery [Saxena and Erickson], 4:259

Book reviews
Disorders of the Heel, Rearfoot, and Ankle (Ranawat and Positano, eds) [Gastwirth], 2:164
The Foot and Ankle, 2nd Ed (Kitaoka, ed) [Miller], 3:249
Foot and Lower Extremity Biomechanics II: Precision Intricast Newsletters, 1997–2002 (Kirby) [Sanner], 6:503
Handbook of Lower Extremity Infections, 2nd Ed (Joseph) [Kosinski], 2:164

C

Callus
High plantar pressure and callus in diabetic adolescents: incidence and treatment [Duffin et al], 3:214

Cartilage
Subchondral thickness does not vary with cartilage degeneration on the metatarsal [Raudenbush et al], 2:104

Cast
Variability of neutral-position casting of the foot [Chuter et al], 1:1

Center of pressure
Reliability and validity of center-of-pressure quantification [Cornwall and McPoil], 2:142

Charcot-Marie-Tooth disease
Charcot-Marie-Tooth disease and vincristine [Orejana-García et al], 3:229

Chemotherapy
Charcot-Marie-Tooth disease and vincristine [Orejana-García et al], 3:229

Chigger mite
Chigger mite infestation [Axman and Brummer], 5:399

Children
Ankle dorsiflexion in adolescent athletes [Saxena and Kim], 4:312
High plantar pressure and callus in diabetic adolescents: incidence and treatment [Duffin et al], 3:214
Relationship between "growing pains" and foot posture in children: single-case experimental designs in clinical practice [Evans], 2:111

Chondromalacia patellae
The effect of foot orthoses on patellofemoral pain syndrome [Saxena and Haddad], 4:264

Coalition, tarsal
Tarsal coalitions: activity levels with and without surgery [Saxena and Erickson], 4:259

D

Debridement
Onychauxic dystrophic toenails requiring debridement in Medicare patients: prevalence and anatomical distribution [Frank and Freer], 5:388

Dermatophyte
Confirmation of dermatophytes in nail specimens using in-office dermatophyte test medium cultures: insights from a multispecialty survey [Jennings and Rinaldi], 3:195

Diabetes mellitus
Comorbidities associated with diabetic foot complications among Asian Americans in southern California [Han et al], 1:37
Do clinical examination variables predict high plantar pressures in the diabetic foot? [Wrobel et al], 5:367
Factors in diabetic footwear compliance [Macfarlane and Jensen], 6:485
The fitting of amputated and nonamputated diabetic feet: a French experience at the Villiers-Saint-Denis Hospital [Dupre et al], 3:221
High plantar pressure and callus in diabetic adolescents: incidence and treatment [Duffin et al], 3:214
Skin temperatures as a one-time screening tool do not predict future diabetic foot complications [Armstrong et al], 6:443

Drugs
Charcot-Marie-Tooth disease and vincristine [Orejana-García et al], 3:229
Fall-contributing adverse effects of the most frequently prescribed drugs [Smith], 1:42
Fluoroquinolone therapy and Achilles tendon rupture [Vanek et al], 4:333
Plantar fasciitis: a degenerative process (fasciosis) without inflammation [Lemont et al], 3:234
Revisiting epinephrine in foot surgery [Radovic et al], 2:157
Satisfaction with onychomycosis treatment: pulse *versus* continuous dosing [Warshaw et al], 5:373
Topical treatments for onychomycosis: a historical perspective [Bodman et al], 2:136

E

Education
Implementation of computerized student-patient logs in podiatric medical education [Shaw et al], 2:150
The influence of geriatrics education on knowledge, attitudes, and career aspirations of podiatric medical students [Menz], 2:124
Knowledge of aging and attitudes toward older people: a survey of Australian podiatric medical students [Menz et al], 1:11

Elderly population
Fall-contributing adverse effects of the most frequently prescribed drugs [Smith], 1:42
The influence of geriatrics education on knowledge, attitudes, and career aspirations of podiatric medical students [Menz], 2:124
Knowledge of aging and attitudes toward older people: a survey of Australian podiatric medical students [Menz et al], 1:11
Reliability of clinical tests of foot and ankle characteristics in older people [Menz et al], 5:380

Epinephrine
Revisiting epinephrine in foot surgery [Radovic et al], 2:157

Equinus, ankle
Ankle dorsiflexion in adolescent athletes [Saxena and Kim], 4:312

Evidence-based medicine
Assessing the validity of published randomized controlled trials in podiatric medical journals [Turlik et al], 5:392

F

Falls
Fall-contributing adverse effects of the most frequently prescribed drugs [Smith], 1:42

Fibula
Tibial and proximal fibular stress fracture in a rower [Losito et al], 4:340

Flail toe
Autogenous bone graft interpositional arthrodesis for the correction of flail toe: a retrospective analysis of 22 procedures [Mahan et al], 3:167

Fluoroquinolone
Fluoroquinolone therapy and Achilles tendon rupture [Vanek et al], 4:333

Foot Posture Index
Reliability of the Foot Posture Index and traditional measures of foot position [Evans et al], 3:203
Static stance response to different types of foot orthoses [Payne et al], 6:492

Foot type
Relationship between onychocryptosis and foot type and treatment with toe spacer: a preliminary investigation [Günal et al], 1:33

Fracture
Fracture of the second metatarsal base: an overlooked cause of chronic midfoot pain [Morris et al], 1:6
Medial malleolar stress fractures: literature review, diagnosis, and treatment [Kor et al], 4:292
Osteochondral lesions of the talus [Roach], 4:307
Tibial and proximal fibular stress fracture in a rower [Losito et al], 4:340

G

Gait
In vivo forces in the plantar fascia during the stance phase of gait: sequential release of the plantar fascia [Ward et al], 6:429
Kinetics of high-heeled gait [Esenyel et al], 1:27
Reliability and validity of center-of-pressure quantification [Cornwall and McPoil], 2:142

Geriatrics
Fall-contributing adverse effects of the most frequently prescribed drugs [Smith], 1:42
The influence of geriatrics education on knowledge, attitudes, and career aspirations of podiatric medical students [Menz], 2:124
Knowledge of aging and attitudes toward older people: a survey of Australian podiatric medical students [Menz et al], 1:11
Reliability of clinical tests of foot and ankle characteristics in older people [Menz et al], 5:380

Graft
Autogenous bone graft interpositional arthrodesis for the correction of flail toe: a retrospective analysis of 22 procedures [Mahan et al], 3:167

Growing pains
Relationship between "growing pains" and foot posture in children: single-case experimental designs in clinical practice [Evans], 2:111

Guidelines, authors'
Guidelines for authors, 1:87, 3:251, 5:408

H

Hallux rigidus
Distally based capsule-periosteum interpositional arthroplasty for hallux rigidus: indications, operative technique, and short-term follow-up [Roukis et al], 5:349

Hallux valgus
Clinical and biomechanical risk factors of patients diagnosed with hallux valgus [Kernozek et al], 2:97
Complications of screw-fixated chevron osteotomies for the correction of hallux abducto valgus [Viehe et al], 6:499

Heel
In vivo forces in the plantar fascia during the stance phase of gait: sequential release of the plantar fascia [Ward et al], 6:429
Plantar fasciitis: a degenerative process (fasciosis) without inflammation [Lemont et al], 3:234

Human skin equivalent
Human skin equivalent in the treatment of chronic leg ulcers in sickle cell disease patients [Gordon and Bui], 3:240

Hyberbaric oxygen therapy
Hyberbaric oxygen therapy for lower-extremity soft-tissue sports injuries [Kanhai and Losito], 4:298

I

Imaging
Bone scintigraphic findings in patients with foot ulcers and normal plain film radiographs [Jacobson and Williams], 2:91
Radiographic anatomy of the talus [Morgan et al], 6:449

Infection, fungal
Confirmation of dermatophytes in nail specimens using in-office dermatophyte test medium cultures: insights from a multispecialty survey [Jennings and Rinaldi], 3:195
Onychauxic dystrophic toenails requiring debridement in Medicare patients: prevalence and anatomical distribution [Frank and Freer], 5:388
Satisfaction with onychomycosis treatment: pulse *versus* continuous dosing [Warshaw et al], 5:373
Topical treatments for onychomycosis: a historical perspective [Bodman et al], 2:136

Injury
Athletic injuries of the first metatarsophalangeal joint [Kubitz], 4:325
Fracture of the second metatarsal base: an overlooked cause of chronic midfoot pain [Morris et al], 1:6
Hyberbaric oxygen therapy for lower-extremity soft-tissue sports injuries [Kanhai and Losito], 4:298
Medial malleolar stress fractures: literature review, diagnosis, and treatment [Kor et al], 4:292
Osteochondral lesions of the talus [Roach], 4:307
Relationship between the subtalar joint inclination angle and the location of lower-extremity injuries [Pierrynowski et al], 6:481
Syndesmotic rupture without ankle fracture: a report of two cases in professional football players [Endean et al], 4:336
Tibial and proximal fibular stress fracture in a rower [Losito et al], 4:340

Internet
Implementation of computerized student-patient logs in podiatric medical education [Shaw et al], 2:150
Online manuscript submission and peer review (editorial) [Joseph], 6:427

J

Joint
Athletic injuries of the first metatarsophalangeal joint [Kubitz], 4:325
Autogenous bone graft interpositional arthrodesis for the correction of flail toe: a retrospective analysis of 22 procedures [Mahan et al], 3:167
Distally based capsule-periosteum interpositional arthroplasty for hallux rigidus: indications, operative technique, and short-term follow-up [Roukis et al], 5:349
Kinetics of high-heeled gait [Esenyel et al], 1:27
Position of the subtalar joint axis and resistance of the rearfoot to supination [Payne et al], 2:131
Relationship between the subtalar joint inclination angle and the location of lower-extremity injuries [Pierrynowski et al], 6:481
Subchondral thickness does not vary with cartilage degeneration on the metatarsal [Raudenbush et al], 2:104
Syndesmotic rupture without ankle fracture: a report of two cases in professional football players [Endean et al], 4:336

K

Kinetics
Kinetics of high-heeled gait [Esenyel et al], 1:27

Knee
The effect of foot orthoses on patellofemoral pain syndrome [Saxena and Haddad], 4:264

L

Lichen planus
Lichen planus: a case study [Moussavi], 3:238

Lipoma
Extensive lipoma of the foot [Pontious et al], 5:402

M

Malleolus, medial
Medial malleolar stress fractures: literature review, diagnosis, and treatment [Kor et al], 4:292

Measurement
Reliability of clinical tests of foot and ankle characteristics in older people [Menz et al], 5:380
Reliability of the Foot Posture Index and traditional measures of foot position [Evans et al], 3:203

Medicare
Onychauxic dystrophic toenails requiring debridement in Medicare patients: prevalence and anatomical distribution [Frank and Freer], 5:388

Metatarsal
Athletic injuries of the first metatarsophalangeal joint [Kubitz], 4:325
Fracture of the second metatarsal base: an overlooked cause of chronic midfoot pain [Morris et al], 1:6
Subchondral thickness does not vary with cartilage degeneration on the metatarsal [Raudenbush et al], 2:104

N

Nail
Confirmation of dermatophytes in nail specimens using in-office dermatophyte test medium cultures: insights from a multispecialty survey [Jennings and Rinaldi], 3:195
Onychauxic dystrophic toenails requiring debridement in Medicare patients: prevalence and anatomical distribution [Frank and Freer], 5:388
Relationship between onychocryptosis and foot type and treatment with toe spacer: a preliminary investigation [Günal et al], 1:33
Satisfaction with onychomycosis treatment: pulse *versus* continuous dosing [Warshaw et al], 5:373
Topical treatments for onychomycosis: a historical perspective [Bodman et al], 2:136
Use of a needleless injection system for digital ring block anesthesia [Dialynas et al], 1:23

Neoplasm
Extensive lipoma of the foot [Pontious et al], 5:402
Multiple schwannomas of the foot: case report and strategy for treatment [Mott and Dellon], 1:51
Osteoid osteoma in a 20-year-old soccer player [Palamarchuk et al], 4:344

Nerve
Charcot-Marie-Tooth disease and vincristine [Orejana-García et al], 3:229
Do clinical examination variables predict high plantar pressures in the diabetic foot? [Wrobel et al], 5:367
Factors in diabetic footwear compliance [Macfarlane and Jensen], 6:485
The fitting of amputated and nonamputated diabetic feet: a French experience at the Villiers-Saint-Denis Hospital [Dupre et al], 3:221

High plantar pressure and callus in diabetic adolescents: incidence and treatment [Duffin et al], 3:214
A modified technique for Morton's neuroma: decompression with relocation [Vito and Talarico], 3:190
Multiple schwannomas of the foot: case report and strategy for treatment [Mott and Dellon], 1:51
Neurogenic positional pedal neuritis: common pedal manifestations of spinal stenosis [Goldman], 3:174

Neuritis
Neurogenic positional pedal neuritis: common pedal manifestations of spinal stenosis [Goldman], 3:174

Neuroma
A modified technique for Morton's neuroma: decompression with relocation [Vito and Talarico], 3:190

Neuropathy
Charcot-Marie-Tooth disease and vincristine [Orejana-García et al], 3:229
Do clinical examination variables predict high plantar pressures in the diabetic foot? [Wrobel et al], 5:367
Factors in diabetic footwear compliance [Macfarlane and Jensen], 6:485
The fitting of amputated and nonamputated diabetic feet: a French experience at the Villiers-Saint-Denis Hospital [Dupre et al], 3:221
High plantar pressure and callus in diabetic adolescents: incidence and treatment [Duffin et al], 3:214
A modified technique for Morton's neuroma: decompression with relocation [Vito and Talarico], 3:190

O

Onychauxis
Onychauxic dystrophic toenails requiring debridement in Medicare patients: prevalence and anatomical distribution [Frank and Freer], 5:388

Onychocryptosis
Relationship between onychocryptosis and foot type and treatment with toe spacer: a preliminary investigation [Günal et al], 1:33
Use of a needleless injection system for digital ring block anesthesia [Dialynas et al], 1:23

Onychomycosis
Confirmation of dermatophytes in nail specimens using in-office dermatophyte test medium cultures: insights from a multispecialty survey [Jennings and Rinaldi], 3:195
Satisfaction with onychomycosis treatment: pulse *versus* continuous dosing [Warshaw et al], 5:373
Topical treatments for onychomycosis: a historical perspective [Bodman et al], 2:136

Orthopedics
An approach to foot orthopedics [Root], 1:63

Orthoses
The effect of foot orthoses on patellofemoral pain syndrome [Saxena and Haddad], 4:264
The fitting of amputated and nonamputated diabetic feet: a French experience at the Villiers-Saint-Denis Hospital [Dupre et al], 3:221
Position of the subtalar joint axis and resistance of the rearfoot to supination [Payne et al], 2:131
Relationship between "growing pains" and foot posture in children: single-case experimental designs in clinical practice [Evans], 2:111
Reliability and validity of center-of-pressure quantification [Cornwall and McPoil], 2:142
The reliability of the manual supination resistance test [Noakes and Payne], 3:185
Static stance response to different types of foot orthoses [Payne et al], 6:492
Variability of neutral-position casting of the foot [Chuter et al], 1:1

Osteoarthritis
Subchondral thickness does not vary with cartilage degeneration on the metatarsal [Raudenbush et al], 2:104

Osteoma
Osteoid osteoma in a 20-year-old soccer player [Palamarchuk et al], 4:344

Osteomyelitis
Bone scintigraphic findings in patients with foot ulcers and normal plain film radiographs [Jacobson and Williams], 2:91
External thermoregulation of wounds associated with lower-extremity osteomyelitis: a pilot study [Karr], 1:18

Osteotomy
Complications of screw-fixated chevron osteotomies for the correction of hallux abducto valgus [Viehe et al], 6:499

P

Patellofemoral pain syndrome
The effect of foot orthoses on patellofemoral pain syndrome [Saxena and Haddad], 4:264

Pediatrics
Ankle dorsiflexion in adolescent athletes [Saxena and Kim], 4:312
High plantar pressure and callus in diabetic adolescents: incidence and treatment [Duffin et al], 3:214
Relationship between "growing pains" and foot posture in children: single-case experimental designs in clinical practice [Evans], 2:111

Plantar fasciitis
In vivo forces in the plantar fascia during the stance phase of gait: sequential release of the plantar fascia [Ward et al], 6:429
Plantar fasciitis: a degenerative process (fasciosis) without inflammation [Lemont et al], 3:234

President's Message
Acceptance address: a family of podiatric physicians [Ferritto], 3:254
The effectiveness of organized podiatric medicine [Viehe], 2:165
The publications of APMA [Viehe], 1:90
Support those who support you [Ferritto], 6:505
Title XIX [Ferritto], 4:347
We've grown up [Ferritto], 5:425

Pressure, plantar
Do clinical examination variables predict high plantar pressures in the diabetic foot? [Wrobel et al], 5:367
High plantar pressure and callus in diabetic adolescents: incidence and treatment [Duffin et al], 3:214
Reliability and validity of center-of-pressure quantification [Cornwall and McPoil], 2:142

Pronation
Effect of the low-Dye strap on pronation-sensitive mechanical attributes of the foot [Whitaker et al], 2:118

Relationship between "growing pains" and foot posture in children: single-case experimental designs in clinical practice [Evans], 2:111

Prostheses
The fitting of amputated and nonamputated diabetic feet: a French experience at the Villiers-Saint-Denis Hospital [Dupre et al], 3:221

Publication
Assessing the validity of published randomized controlled trials in podiatric medical journals [Turlik et al], 5:392

R

Radiography
Radiographic anatomy of the talus [Morgan et al], 6:449

Rat bite
Lower-extremity wounds inflicted by rats [Levy et al], 1:58

Rearfoot
Position of the subtalar joint axis and resistance of the rearfoot to supination [Payne et al], 2:131

Research
Assessing the validity of published randomized controlled trials in podiatric medical journals [Turlik et al], 5:392
Relationship between "growing pains" and foot posture in children: single-case experimental designs in clinical practice [Evans], 2:111

Retropatellar dysplasia
The effect of foot orthoses on patellofemoral pain syndrome [Saxena and Haddad], 4:264

S

Schwannoma
Multiple schwannomas of the foot: case report and strategy for treatment [Mott and Dellon], 1:51

Shoes
Factors in diabetic footwear compliance [Macfarlane and Jensen], 6:485
The fitting of amputated and nonamputated diabetic feet: a French experience at the Villiers-Saint-Denis Hospital [Dupre et al], 3:221
Kinetics of high-heeled gait [Esenyel et al], 1:27

Sickle cell disease
Human skin equivalent in the treatment of chronic leg ulcers in sickle cell disease patients [Gordon and Bui], 3:240

Skin
Bone scintigraphic findings in patients with foot ulcers and normal plain film radiographs [Jacobson and Williams], 2:91
Do clinical examination variables predict high plantar pressures in the diabetic foot? [Wrobel et al], 5:367
External thermoregulation of wounds associated with lower-extremity osteomyelitis: a pilot study [Karr], 1:18
Factors in diabetic footwear compliance [Macfarlane and Jensen], 6:485
Human skin equivalent in the treatment of chronic leg ulcers in sickle cell disease patients [Gordon and Bui], 3:240
Lichen planus: a case study [Moussavi], 3:238
Lower-extremity wounds inflicted by rats [Levy et al], 1:58
Skin temperatures as a one-time screening tool do not predict future diabetic foot complications [Armstrong et al], 6:443

Spine
Neurogenic positional pedal neuritis: common pedal manifestations of spinal stenosis [Goldman], 3:174

Stenosis, spinal
Neurogenic positional pedal neuritis: common pedal manifestations of spinal stenosis [Goldman], 3:174

Steroid
Plantar fasciitis: a degenerative process (fasciosis) without inflammation [Lemont et al], 3:234

Strapping
Effect of the low-Dye strap on pronation-sensitive mechanical attributes of the foot [Whitaker et al], 2:118

Supination
Position of the subtalar joint axis and resistance of the rearfoot to supination [Payne et al], 2:131
The reliability of the manual supination resistance test [Noakes and Payne], 3:185
Static stance response to different types of foot orthoses [Payne et al], 6:492

Surgery
Additional uses of the DePuy TiMAX Spider Plate (letter) [Burks et al], 5:406
Autogenous bone graft interpositional arthrodesis for the correction of flail toe: a retrospective analysis of 22 procedures [Mahan et al], 3:167
Complications of screw-fixated chevron osteotomies for the correction of hallux abducto valgus [Viehe et al], 6:499
Distally based capsule-periosteum interpositional arthroplasty for hallux rigidus: indications, operative technique, and short-term follow-up [Roukis et al], 5:349
Medial malleolar stress fractures: literature review, diagnosis, and treatment [Kor et al], 4:292
A modified technique for Morton's neuroma: decompression with relocation [Vito and Talarico], 3:190
Multiple schwannomas of the foot: case report and strategy for treatment [Mott and Dellon], 1:51
Peroneal tendon abnormalities: a review of 40 surgical cases [Saxena and Wolf], 4:272
Revisiting epinephrine in foot surgery [Radovic et al], 2:157
Surgery for chronic Achilles tendinopathy: review of 91 procedures over 10 years [Saxena and Cheung], 4:283
Tarsal coalitions: activity levels with and without surgery [Saxena and Erickson], 4:259
Use of a needleless injection system for digital ring block anesthesia [Dialynas et al], 1:23

Survey
The influence of geriatrics education on knowledge, attitudes, and career aspirations of podiatric medical students [Menz], 2:124
Knowledge of aging and attitudes toward older people: a survey of Australian podiatric medical students [Menz et al], 1:11
2002 Podiatric Practice Survey: statistical results [Al Fisher Associates, Inc], 1:67

Syndesmosis
Syndesmotic rupture without ankle fracture: a report of two cases in professional football players [Endean et al], 4:336

T

Talus
Osteochondral lesions of the talus [Roach], 4:307
Radiographic anatomy of the talus [Morgan et al], 6:449

Tarsus
Tarsal coalitions: activity levels with and without surgery [Saxena and Erickson], 4:259

Tendon
Additional uses of the DePuy TiMAX Spider Plate (letter) [Burks et al], 5:406
Fluoroquinolone therapy and Achilles tendon rupture [Vanek et al], 4:333
Peroneal tendon abnormalities: a review of 40 surgical cases [Saxena and Wolf], 4:272
Surgery for chronic Achilles tendinopathy: review of 91 procedures over 10 years [Saxena and Cheung], 4:283

Tenodesis
Additional uses of the DePuy TiMAX Spider Plate (letter) [Burks et al], 5:406

Thermoregulation
External thermoregulation of wounds associated with lower-extremity osteomyelitis: a pilot study [Karr], 1:18

Tibia
Tibial and proximal fibular stress fracture in a rower [Losito et al], 4:340

Toe
Autogenous bone graft interpositional arthrodesis for the correction of flail toe: a retrospective analysis of 22 procedures [Mahan et al], 3:167
Onychauxic dystrophic toenails requiring debridement in Medicare patients: prevalence and anatomical distribution [Frank and Freer], 5:388
Relationship between onychocryptosis and foot type and treatment with toe spacer: a preliminary investigation [Günal et al], 1:33
Use of a needleless injection system for digital ring block anesthesia [Dialynas et al], 1:23

Tumor
Extensive lipoma of the foot [Pontious et al], 5:402
Multiple schwannomas of the foot: case report and strategy for treatment [Mott and Dellon], 1:51
Osteoid osteoma in a 20-year-old soccer player [Palamarchuk et al], 4:344

Turf toe
Athletic injuries of the first metatarsophalangeal joint [Kubitz], 4:325

U

Ulcer
Bone scintigraphic findings in patients with foot ulcers and normal plain film radiographs [Jacobson and Williams], 2:91
Do clinical examination variables predict high plantar pressures in the diabetic foot? [Wrobel et al], 5:367
External thermoregulation of wounds associated with lower-extremity osteomyelitis: a pilot study [Karr], 1:18
Factors in diabetic footwear compliance [Macfarlane and Jensen], 6:485
Human skin equivalent in the treatment of chronic leg ulcers in sickle cell disease patients [Gordon and Bui], 3:240
Lower-extremity wounds inflicted by rats [Levy et al], 1:58

V

Vincristine
Charcot-Marie-Tooth disease and vincristine [Orejana-García et al], 3:229

AUTHOR INDEX

A

Ahalt, Ryan G.: Osteoid osteoma in a 20-year-old soccer player [Palamarchuk et al], 4:344
Alexis, Monica R.: Tibial and proximal fibular stress fracture in a rower [Losito et al], 4:340
Al Fisher Associates, Inc: 2002 Podiatric Practice Survey: statistical results, 1:67
Ammirati, Krista M.: Plantar fasciitis: a degenerative process (fasciosis) without inflammation [Lemont et al], 3:234
Armstrong, David G.: Skin temperatures as a one-time screening tool do not predict future diabetic foot complications [Armstrong et al], 6:443
Augustus, Kazuto: Effect of the low-Dye strap on pronation-sensitive mechanical attributes of the foot [Whitaker et al], 2:118
Axman, Wayne R.: Chigger mite infestation [Axman and Brummer], 5:399

B

Balkan, Yasemin: Relationship between onychocryptosis and foot type and treatment with toe spacer: a preliminary investigation [Günal et al], 1:33
Barker, Stephen G. E.: Use of a needleless injection system for digital ring block anesthesia [Dialynas et al], 1:23
Birkmeyer, Nancy J.: Do clinical examination variables predict high plantar pressures in the diabetic foot? [Wrobel et al], 5:367
Bodman, Myron A.:
Satisfaction with onychomycosis treatment: pulse *versus* continuous dosing [Warshaw et al], 5:373
Topical treatments for onychomycosis: a historical perspective [Bodman et al], 2:136
Boggs, John M.: Fluoroquinolone therapy and Achilles tendon rupture [Vanek et al], 4:333
Bouché, Richard T.: Glancing back, striding ahead: the history of the American Academy of Podiatric Sports Medicine: part 1, 4:315
Boulton, Andrew J. M.: Skin temperatures as a one-time screening tool do not predict future diabetic foot complications [Armstrong et al], 6:443
Bowman, Thomas: Satisfaction with onychomycosis treatment: pulse *versus* continuous dosing [Warshaw et al], 5:373
Brewer, Allison J.: American Podiatric Medical Association best walking city competition, 2002 [Fisher et al], 2:161
Brummer, John J.: Chigger mite infestation [Axman and Brummer], 5:399
Bui, Alex: Human skin equivalent in the treatment of chronic leg ulcers in sickle cell disease patients [Gordon and Bui], 3:240
Buk, Alexandra: Additional uses of the DePuy TiMAX Spider Plate (letter) [Burks et al], 5:406
Burks, Jesse B.: Additional uses of the DePuy TiMAX Spider Plate (letter) [Burks et al], 5:406

C

Chan, Albert: High plantar pressure and callus in diabetic adolescents: incidence and treatment [Duffin et al], 3:214
Cheung, Steven: Surgery for chronic Achilles tendinopathy: review of 91 procedures over 10 years [Saxena and Cheung], 4:283
Christman, Robert A.: Radiographic anatomy of the talus [Morgan et al], 6:449
Chung, Yong: Comorbidities associated with diabetic foot complications among Asian Americans in southern California [Han et al], 1:37
Chuter, Vivienne: Variability of neutral-position casting of the foot [Chuter et al], 1:1
Clancy, James T.: Lower-extremity wounds inflicted by rats [Levy et al], 1:58
Clark, Joel R.: Implementation of computerized student-patient logs in podiatric medical education [Shaw et al], 2:150
Clements, J. Randolph: Osteoid osteoma in a 20-year-old soccer player [Palamarchuk et al], 4:344
Cocheba, Jay R.: *In vivo* forces in the plantar fascia during the stance phase of gait: sequential release of the plantar fascia [Ward et al], 6:429
Comerford, James S.: Additional uses of the DePuy TiMAX Spider Plate (letter) [Burks et al], 5:406
Connolly, John E.: Do clinical examination variables predict high plantar pressures in the diabetic foot? [Wrobel et al], 5:367
Cooper, David: Use of a needleless injection system for digital ring block anesthesia [Dialynas et al], 1:23
Copper, Alexander W.: Reliability of the Foot Posture Index and traditional measures of foot position [Evans et al], 3:203
Cornwall, Mark W.: Reliability and validity of center-of-pressure quantification [Cornwall and McPoil], 2:142

D

Dechamps, Eric: The fitting of amputated and nonamputated diabetic feet: a French experience at the Villiers-Saint-Denis Hospital [Dupre et al], 3:221
Dellon, A. Lee: Multiple schwannomas of the foot: case report and strategy for treatment [Mott and Dellon], 1:51
Dercoli, Jennifer L.: Do clinical examination variables predict high plantar pressures in the diabetic foot? [Wrobel et al], 5:367
Despeyroux, Lan: The fitting of amputated and nonamputated diabetic feet: a French experience at the Villiers-Saint-Denis Hospital [Dupre et al], 3:221
Dialynas, Michael: Use of a needleless injection system for digital ring block anesthesia [Dialynas et al], 1:23
Donaghue, Kim C: High plantar pressure and callus in diabetic adolescents: incidence and treatment [Duffin et al], 3:214
Downey, Michael S.: Autogenous bone graft interpositional arthrodesis for the correction of flail toe: a retrospective analysis of 22 procedures [Mahan et al], 3:167
Duffin, Anthony C.: High plantar pressure and callus in diabetic adolescents: incidence and treatment [Duffin et al], 3:214
Dupre, Jean-Claude: The fitting of amputated and nonamputated diabetic feet: a French experience at the Villiers-Saint-Denis Hospital [Dupre et al], 3:221

F

Elfessi, Abdulaziz: Clinical and biomechanical risk factors of patients diagnosed with hallux valgus [Kernozek et al], 2:97

Endean, Ty: Syndesmotic rupture without ankle fracture: a report of two cases in professional football players [Endean et al], 4:336
Erickson, Sonia: Tarsal coalitions: activity levels with and without surgery [Saxena and Erickson], 4:259
Esenyel, Meltem: Kinetics of high-heeled gait [Esenyel et al], 1:27
Evans, Angela M.:
Relationship between "growing pains" and foot posture in children: single-case experimental designs in clinical practice, 2:111
Reliability of the Foot Posture Index and traditional measures of foot position [Evans et al], 3:203
Ezquerro, Ruben: Comorbidities associated with diabetic foot complications among Asian Americans in southern California [Han et al], 1:37

F

Feder, Lisa: Topical treatments for onychomycosis: a historical perspective [Bodman et al], 2:136
Ferritto, J. D., Jr.:
Acceptance address: a family of podiatric physicians, 3:254
Support those who support you, 6:505
Title XIX, 4:347
We've grown up, 5:425
Finstad, Eric: Relationship between the subtalar joint inclination angle and the location of lower-extremity injuries [Pierrynowski et al], 6:481
Fisher, Allan H., Jr.: American Podiatric Medical Association best walking city competition, 2002 [Fisher et al], 2:161
Frank, Seymour C.: Onychauxic dystrophic toenails requiring debridement in Medicare patients: prevalence and anatomical distribution [Frank and Freer], 5:388
Fredericson, Michael: Differential diagnosis of leg pain in the athlete [Fredericson and Wun], 4:321
Freer, Helene L.: Onychauxic dystrophic toenails requiring debridement in Medicare patients: prevalence and anatomical distribution [Frank and Freer], 5:388

G

Gastwirth, Glenn B.: Review of *Disorders of the Heel, Rearfoot, and Ankle* (Ranawat and Positano, eds), 2:164
Gitter, Andrew: Kinetics of high-heeled gait [Esenyel et al], 1:27
Goldman, Flair D.: Fracture of the second metatarsal base: an overlooked cause of chronic midfoot pain [Morris et al], 1:6
Goldman, Stuart M.: Neurogenic positional pedal neuritis: common pedal manifestations of spinal stenosis, 3:174
Gordon, Sloan: Human skin equivalent in the treatment of chronic leg ulcers in sickle cell disease patients [Gordon and Bui], 3:240
Günal, Izge: Relationship between onychocryptosis and foot type and treatment with toe spacer: a preliminary investigation [Günal et al], 1:33

H

Haddad, Jack: The effect of foot orthoses on patellofemoral pain syndrome [Saxena and Haddad], 4:264
Han, Paul Y.: Comorbidities associated with diabetic foot complications among Asian Americans in southern California [Han et al], 1:37
Haupt, D. Jeffrey: Complications of screw-fixated chevron osteotomies for the correction of hallux abducto valgus [Viehe et al], 6:499
Heaslet, Michael W.: Complications of screw-fixated chevron osteotomies for the correction of hallux abducto valgus [Viehe et al], 6:499
Hollingsworth, Simon J.: Use of a needleless injection system for digital ring block anesthesia [Dialynas et al], 1:23
Hwang, Steven: Comorbidities associated with diabetic foot complications among Asian Americans in southern California [Han et al], 1:37

I

İlhan, Funda: Relationship between onychocryptosis and foot type and treatment with toe spacer: a preliminary investigation [Günal et al], 1:33
Ishii, Suzanne: Effect of the low-Dye strap on pronation-sensitive mechanical attributes of the foot [Whitaker et al], 2:118

J

Jacobson, Arnold F: Bone scintigraphic findings in patients with foot ulcers and normal plain film radiographs [Jacobson and Williams], 2:91
Jennings, Maureen B.: Confirmation of dermatophytes in nail specimens using in-office dermatophyte test medium cultures: insights from a multispecialty survey, 3:195
Jensen, Jeffrey L.: Factors in diabetic footwear compliance [Macfarlane and Jensen], 6:485
Joseph, Warren S.:
Guidelines for authors, 1:87, 3:251, 5:408
Online manuscript submission and peer review (editorial), 6:427

K

Kanhai, Alicia: Hyberbaric oxygen therapy for lower-extremity soft-tissue sports injuries [Kanhai and Losito], 4:298
Karr, Jeffrey C.: External thermoregulation of wounds associated with lower-extremity osteomyelitis: a pilot study, 1:18
Kemecsey, Marta: Relationship between the subtalar joint inclination angle and the location of lower-extremity injuries [Pierrynowski et al], 6:481
Kernozek, Thomas W.: Clinical and biomechanical risk factors of patients diagnosed with hallux valgus [Kernozek et al], 2:97
Kidd, Robert: High plantar pressure and callus in diabetic adolescents: incidence and treatment [Duffin et al], 3:214
Kim, John J.: Satisfaction with onychomycosis treatment: pulse *versus* continuous dosing [Warshaw et al], 5:373
Kim, Peter S.: Radiographic anatomy of the talus [Morgan et al], 6:449
Kim, Will: Ankle dorsiflexion in adolescent athletes [Saxena and Kim], 4:312
King, Glenda: Extensive lipoma of the foot [Pontious et al], 5:402
King, Warren: Syndesmotic rupture without ankle fracture: a report of two cases in professional football players [Endean et al], 4:336
Kirschner, Peter: Distally based capsule-periosteum interpositional arthroplasty for hallux rigidus: indications, operative technique, and short-term follow-up [Roukis et al], 5:349

Kor, Alex: Medial malleolar stress fractures: literature review, diagnosis, and treatment [Kor et al], 4:292
Koşay, Can: Relationship between onychocryptosis and foot type and treatment with toe spacer: a preliminary investigation [Günal et al], 1:33
Kosinski, Mark: Review of *Handbook of Lower Extremity Infections, 2nd Ed* (Joseph), 2:164
Kubitz, Eugene R.: Athletic injuries of the first metatarsophalangeal joint, 4:325
Kushner, Donald: Assessing the validity of published randomized controlled trials in podiatric medical journals [Turlik et al], 5:392
Kwan, Marcella Mun-San: Reliability of clinical tests of foot and ankle characteristics in older people [Menz et al], 5:380

L

Laird, R. Clinton: Tibial and proximal fibular stress fracture in a rower [Losito et al], 4:340
Landsman, Adam S.: Distally based capsule-periosteum interpositional arthroplasty for hallux rigidus: indications, operative technique, and short-term follow-up [Roukis et al], 5:349
Latt, Mark Dominic: Reliability of clinical tests of foot and ankle characteristics in older people [Menz et al], 5:380
Lavery, Lawrence A.: Skin temperatures as a one-time screening tool do not predict future diabetic foot complications [Armstrong et al], 6:443
Lemont, Harvey: Plantar fasciitis: a degenerative process (fasciosis) without inflammation [Lemont et al], 3:234
Levin, Richard S.: Lower-extremity wounds inflicted by rats [Levy et al], 1:58
Levy, Jason M.: Lower-extremity wounds inflicted by rats [Levy et al], 1:58
Lord, Stephen R.: Reliability of clinical tests of foot and ankle characteristics in older people [Menz et al], 5:380
Losito, James M.:
Hyberbaric oxygen therapy for lower-extremity soft-tissue sports injuries [Kanhai and Losito], 4:298
Tibial and proximal fibular stress fracture in a rower [Losito et al], 4:340
Lu, Jin-Jou: Comorbidities associated with diabetic foot complications among Asian Americans in southern California [Han et al], 1:37

M

Macfarlane, Daniel J.: Factors in diabetic footwear compliance [Macfarlane and Jensen], 6:485
Mahan, Kieran T.: Autogenous bone graft interpositional arthrodesis for the correction of flail toe: a retrospective analysis of 22 procedures, 3:167
Martin, H. Rod: Syndesmotic rupture without ankle fracture: a report of two cases in professional football players [Endean et al], 4:336
Mathias, Susan D.: Satisfaction with onychomycosis treatment: pulse *versus* continuous dosing [Warshaw et al], 5:373
McPoil, Thomas G.: Reliability and validity of center-of-pressure quantification [Cornwall and McPoil], 2:142
Menz, Hylton B.:
The influence of geriatrics education on knowledge, attitudes, and career aspirations of podiatric medical students, 2:124
Knowledge of aging and attitudes toward older people: a survey of Australian podiatric medical students [Menz et al], 1:11
Reliability of clinical tests of foot and ankle characteristics in older people [Menz et al], 5:380
Miller, Kathryn:
Position of the subtalar joint axis and resistance of the rearfoot to supination [Payne et al], 2:131
Variability of neutral-position casting of the foot [Chuter et al], 1:1
Miller, Stephen J.: Review of *The Foot and Ankle, 2nd Ed* (Kitaoka, ed), 3:249
Mora, Jessica: Tibial and proximal fibular stress fracture in a rower [Losito et al], 4:340
Morewitz, Stephen J.: Implementation of computerized student-patient logs in podiatric medical education [Shaw et al], 2:150
Morgan, Anthony: Radiographic anatomy of the talus [Morgan et al], 6:449
Morris, Gregory: Fracture of the second metatarsal base: an overlooked cause of chronic midfoot pain [Morris et al], 1:6
Mott, Richard C.: Multiple schwannomas of the foot: case report and strategy for treatment [Mott and Dellon], 1:51
Moussavi, Ramyar: Lichen planus: a case study, 3:238
Muehleman, Carol: Subchondral thickness does not vary with cartilage degeneration on the metatarsal [Raudenbush et al], 2:104
Munteanu, Shannon: Position of the subtalar joint axis and resistance of the rearfoot to supination [Payne et al], 2:131

N

Nace, Angela M.: Topical treatments for onychomycosis: a historical perspective [Bodman et al], 2:136
Nix, Kelly: Fracture of the second metatarsal base: an overlooked cause of chronic midfoot pain [Morris et al], 1:6
Noakes, Hazel:
The reliability of the manual supination resistance test [Noakes and Payne], 3:185
Static stance response to different types of foot orthoses [Payne et al], 6:492

O

Oates, Matthew J.:
Knowledge of aging and attitudes toward older people: a survey of Australian podiatric medical students [Menz et al], 1:11
Static stance response to different types of foot orthoses [Payne et al], 6:492
Orejana-García, Ángel M.: Charcot-Marie-Tooth disease and vincristine [Orejana-García et al], 3:229

P

Palamarchuk, Howard J.: Osteoid osteoma in a 20-year-old soccer player [Palamarchuk et al], 4:344
Pan, Kwei-min: Comorbidities associated with diabetic foot complications among Asian Americans in southern California [Han et al], 1:37
Panchal, Parimal M.: Subchondral thickness does not vary with cartilage degeneration on the metatarsal [Raudenbush et al], 2:104
Pascual-Huerta, Javier: Charcot-Marie-Tooth disease and vincristine [Orejana-García et al], 3:229
Patterson, Patrick E.: *In vivo* forces in the plantar fascia during the stance phase of gait: sequential release of the plantar fascia [Ward et al], 6:429

Payne, Craig:
Position of the subtalar joint axis and resistance of the rearfoot to supination [Payne et al], 2:131
The reliability of the manual supination resistance test [Noakes and Payne], 3:185
Static stance response to different types of foot orthoses [Payne et al], 6:492
Variability of neutral-position casting of the foot [Chuter et al], 1:1
Pérez-Melero, Andrés: Charcot-Marie-Tooth disease and vincristine [Orejana-García et al], 3:229
Phillips, Robert D.:
In vivo forces in the plantar fascia during the stance phase of gait: sequential release of the plantar fascia [Ward et al], 6:429
Merton L. Root: 1922–2002, 1:62
Pierrynowski, Michael R.: Relationship between the subtalar joint inclination angle and the location of lower-extremity injuries [Pierrynowski et al], 6:481
Pillu, Michel: The fitting of amputated and nonamputated diabetic feet: a French experience at the Villiers-Saint-Denis Hospital [Dupre et al], 3:221
Pontious, Jane: Extensive lipoma of the foot [Pontious et al], 5:402

R

Radovic, Philip: Revisiting epinephrine in foot surgery [Radovic et al], 2:157
Raudenbush, Doreen: Subchondral thickness does not vary with cartilage degeneration on the metatarsal [Raudenbush et al], 2:104
Rinaldi, Michael G.: Confirmation of dermatophytes in nail specimens using in-office dermatophyte test medium cultures: insights from a multispecialty survey [Jennings and Rinaldi], 3:195
Ringstrom, James B.: Distally based capsule-periosteum interpositional arthroplasty for hallux rigidus: indications, operative technique, and short-term follow-up [Roukis et al], 5:349
Roach, Richard: Osteochondral lesions of the talus, 4:307
Root, Merton L.: An approach to foot orthopedics, 1:63
Roukis, Thomas S.: Distally based capsule-periosteum interpositional arthroplasty for hallux rigidus: indications, operative technique, and short-term follow-up [Roukis et al], 5:349

S

Saltzman, Andrew T.: Medial malleolar stress fractures: literature review, diagnosis, and treatment [Kor et al], 4:292
Sanner, William H.: Review of *Foot and Lower Extremity Biomechanics II: Precision Intricast Newsletters, 1997–2002* [Kirby], 6:503
Saxena, Amol:
Ankle dorsiflexion in adolescent athletes [Saxena and Kim], 4:312
The effect of foot orthoses on patellofemoral pain syndrome [Saxena and Haddad], 4:264
Fluoroquinolone therapy and Achilles tendon rupture [Vanek et al], 4:333
Peroneal tendon abnormalities: a review of 40 surgical cases [Saxena and Wolf], 4:272
Surgery for chronic Achilles tendinopathy: review of 91 procedures over 10 years [Saxena and Cheung], 4:283
Tarsal coalitions: activity levels with and without surgery [Saxena and Erickson], 4:259
Scharfbillig, Rolf W.: Reliability of the Foot Posture Index and traditional measures of foot position [Evans et al], 3:203
Scherer, Julia E.: American Podiatric Medical Association best walking city competition, 2002 [Fisher et al], 2:161
Scutter, Sheila D.: Reliability of the Foot Posture Index and traditional measures of foot position [Evans et al], 3:203
Shaw, Graham P.: Implementation of computerized student-patient logs in podiatric medical education [Shaw et al], 2:150
Sherrington, Catherine: Reliability of clinical tests of foot and ankle characteristics in older people [Menz et al], 5:380
Shumway, Don: Revisiting epinephrine in foot surgery [Radovic et al], 2:157
Silva, Stefanie: Satisfaction with onychomycosis treatment: pulse *versus* continuous dosing [Warshaw et al], 5:373
Simpson, Jade: Relationship between the subtalar joint inclination angle and the location of lower-extremity injuries [Pierrynowski et al], 6:481
Smith, Kevin M.: *In vivo* forces in the plantar fascia during the stance phase of gait: sequential release of the plantar fascia [Ward et al], 6:429
Smith, Robert G.:
Fall-contributing adverse effects of the most frequently prescribed drugs, 1:42
Revisiting epinephrine in foot surgery [Radovic et al], 2:157
Sterriker, Steven: Clinical and biomechanical risk factors of patients diagnosed with hallux valgus [Kernozek et al], 2:97
Stewart, Francis A.: Knowledge of aging and attitudes toward older people: a survey of Australian podiatric medical students [Menz et al], 1:11
Stock, Dina: Assessing the validity of published randomized controlled trials in podiatric medical journals [Turlik et al], 5:392
Sumner, Dale R.: Subchondral thickness does not vary with cartilage degeneration on the metatarsal [Raudenbush et al], 2:104

T

Talarico, Leonard M.: A modified technique for Morton's neuroma: decompression with relocation [Vito and Talarico], 3:190
Tiedemann, Anne: Reliability of clinical tests of foot and ankle characteristics in older people [Menz et al], 5:380
Turlik, Michael A.: Assessing the validity of published randomized controlled trials in podiatric medical journals [Turlik et al], 5:392
Tzamaras, George P.: American Podiatric Medical Association best walking city competition, 2002 [Fisher et al], 2:161

U

Usen, Nsima: Plantar fasciitis: a degenerative process (fasciosis) without inflammation [Lemont et al], 3:234

V

Vanek, Diane: Fluoroquinolone therapy and Achilles tendon rupture [Vanek et al], 4:333

Veziroğlu, Arzu: Relationship between onychocryptosis and foot type and treatment with toe spacer: a preliminary investigation [Günal et al], 1:33
Viehe, Richard B.:
Complications of screw-fixated chevron osteotomies for the correction of hallux abducto valgus [Viehe et al], 6:499
The effectiveness of organized podiatric medicine, 2:165
The publications of APMA, 1:90
Vito, George R.: A modified technique for Morton's neuroma: decompression with relocation [Vito and Talarico], 3:190

W

Walden, Judith Gail: Kinetics of high-heeled gait [Esenyel et al], 1:27
Walsh, Katlen: Kinetics of high-heeled gait [Esenyel et al], 1:27
Walston, Sharon: Complications of screw-fixated chevron osteotomies for the correction of hallux abducto valgus [Viehe et al], 6:499
Ward, Erin D.: *In vivo* forces in the plantar fascia during the stance phase of gait: sequential release of the plantar fascia [Ward et al], 6:429
Warshaw, Erin M.: Satisfaction with onychomycosis treatment: pulse *versus* continuous dosing [Warshaw et al], 5:373
Weinfeld, Glenn D.: Autogenous bone graft interpositional arthrodesis for the correction of flail toe: a retrospective analysis of 22 procedures [Mahan et al], 3:167
Wempe, Patrick D.: Medial malleolar stress fractures: literature review, diagnosis, and treatment [Kor et al], 4:292
Whitaker, Jeffrey M.: Effect of the low-Dye strap on pronation-sensitive mechanical attributes of the foot [Whitaker et al], 2:118
Williams, Joan E.: Bone scintigraphic findings in patients with foot ulcers and normal plain film radiographs [Jacobson and Williams], 2:91
Williams, Marie T.: Reliability of the Foot Posture Index and traditional measures of foot position [Evans et al], 3:203
Wolf, Steven K.: Peroneal tendon abnormalities: a review of 40 surgical cases [Saxena and Wolf], 4:272
Wrobel, James S.: Do clinical examination variables predict high plantar pressures in the diabetic foot? [Wrobel et al], 5:367
Wuenschel, Markus: Distally based capsule-periosteum interpositional arthroplasty for hallux rigidus: indications, operative technique, and short-term follow-up [Roukis et al], 5:349
Wun, Cindy: Differential diagnosis of leg pain in the athlete [Fredericson and Wun], 4:321
Wunderlich, Robert P.: Skin temperatures as a one-time screening tool do not predict future diabetic foot complications [Armstrong et al], 6:443

Y

Yu, Gerard V.: Additional uses of the DePuy TiMAX Spider Plate (letter), 5:406

Z

Zielaskowski, Lorne A.: Extensive lipoma of the foot [Pontious et al], 5:402